


**INFECTION CONTROL PLAN
POLICIES AND PROCEDURE MANUAL-
BHCS ADDENDUM TO SYSTEM IC PLAN**

POLICY #:	
SUBJECT:	Broward Health Coral Springs Infection Control Program (BHCS) Addendum
	Addendum updated: 3/2023, 3/2022, 3/2021, 8/2020, 3/2020 Addendum Effective: 3/2019 BHCS IC PLAN: 3/1987
PURPOSE:	Broward Health Coral Springs (BHCS) has developed and implemented an effective Infection Control Program for the surveillance, prevention and control of infection.
SPONSOR:	Epidemiology
	BHCS IC PLAN REVISED: 3/19, 9/18, 3/18, 3/17, 3/16, 3/15, 3/14, 3/13, 3/12, 3/11, 3/10, 3/09, 3/08, 3/07, 3/06, 3/05, 3/03, 3/02, 12/00, 3/97, 8/95, 7/93, 7/91, 10/90
APPROVED BY:	ADDENDUM APPROVED FOR USE AT BHCS  Medical Director of Infection Prevention and Control and the Antimicrobial Stewardship Program  Chief Executive Officer, BHCS  Chief Nursing Officer, BHCS

Purpose: Broward Health has developed and implemented an effective system-wide Infection Prevention and Control Program for the surveillance, prevention and control of infection. This is the BHCS specific addendum to the plan.

I. Description of Population

Broward Health Coral Springs is a 250-bed community hospital located in Coral Springs, in Northwest Broward County. BHCS provides comprehensive care across the continuum of care for all age groups. Patient populations include: medical-surgical specialties, including but not limited to intensive care, general surgery and medicine, gastroenterology, women and children, neonatology Level II, pediatrics, orthopedics and other services which are delineated in the *Scope of Program* section. In addition, the adult and pediatric emergency departments are very busy and treated over 68,821 patients in CY2022.

Per Fiscal Year 2022 statistics, our payer mix was Medicare 15.3%, Medicaid 5.9%, Commercial (includes HMO/PPO, Managed Care Medicaid, Managed Care Medicare) 71.7%, Charity & Self pay 7.2%.

According to the Broward County Health Department, there are high numbers of infectious diseases reported. These primarily include HIV/AIDS, Hepatitis C, STD's, and Tuberculosis. In addition, Broward Health Coral Springs as all healthcare systems have been burdened with issues related to the pandemic, including increasing number of admissions, use of personal protective equipment, and mortalities. Broward Health Coral Springs also was burdened with the Monkeypox outbreak which increased our emergency department visits and the use of personal protective equipment.

The Top 10 adult principle surgical procedures performed in CY2022 include: laparoscopic gastrectomy sleeve, Davinci laparoscopic cholecystectomy, cysto retrograde ureteroscopy, Davinci inguinal hernia repair with/without mesh possible open, Davinci laparoscopic hysterectomy, laparoscopic appendectomy, cysto TURP, laparotomy exploratory, laparoscopic cholecystectomy cholangiogram, and incision and drainage.

The Top 10 adult inpatient principle diagnosis for CY2022 include: sepsis, pneumonia, hypertensive heart disease with heart failure, acute kidney failure, 2019-nCoV acute respiratory disease, maternal care for low transverse scan from previous cesarean delivery, hypertension heart and chronic kidney disease with heart failure and stage 1-4 chronic kidney disease, non-ST elevation myocardial infarction, first degree perineal laceration during delivery, and urinary tract infection.

The Top 10 adult emergency department diagnosis for CY2022 include: chest pain, 2019-nCoV acute respiratory disease, urinary tract infection, viral infection threatened abortion, noninfective gastroenteritis and colitis, acute upper respiratory infection, pneumonia, sepsis, acute bronchitis.

The Top 10 pediatric principle surgical procedures for CY2022 include: periodontal surgery, laparoscopic appendectomy, circumcision, lengthening Achilles tendon, closed reduction percutaneous pinning upper extremity, herniorrhaphy umbilical, orchiopexy, open reduction internal fixation ankle, open reduction internal fixation clavicle.

The Top 10 pediatric inpatient principle diagnosis for CY2022 include: pneumonia, acute bronchiolitis due to respiratory syncytial virus, sepsis, salmonella, moderate persistent asthma with status asthmaticus, acute respiratory failure with hypoxia, viral infection asthma with acute exacerbation, respiratory syncytial virus pneumonia, 2019—nCoV acute respiratory disease.

The Top 10 pediatric emergency department diagnosis for CY2022 include: acute upper respiratory infection, viral infection, otitis media, noninfective gastroenteritis and colitis, constipation, otitis media right ear, otitis media left ear, pneumonia, 2019-nCoV acute respiratory disease, and acute bronchiolitis.

Conditions such as cancer, HIV/AIDS, indwelling medical devices, disorders that affect the immune system, alcoholism, drug abuse, diabetes and renal failure can also increase an individual's risk for acquiring infections as well as the COVID-19.

II. Scope of Program

- a. BHCS is a 250-bed facility that provides care across the continuum of care for all age groups and includes a variety of inpatient, outpatient, rehabilitative, and emergency services for both adult and pediatric populations.
- b. The patient population at Broward Health Coral Springs consists of a majority of obstetric/pediatric patients, adult medical/surgical patients and a large number of geriatric cardiac patients. The needs of the geriatric patient population are influenced by an increased potential for complications due to pre-existing conditions and therapy; i.e., long term steroid use, financial constraints in a retirement community, increasing anxiety with potential impact on the timeliness of seeking medical care and compliance with instructions and medications pre and post hospitalization; compromised nutritional status; limited mobility; diminished sensory perception and a greater complexity of discharge planning needs due to length of stay and reimbursement constraints placed upon the hospital by Medicare, Managed Care and other healthcare insurers. Pediatric patients with the potential of acquiring and spreading communicable diseases (i.e., varicella, measles, mumps, pertussis, meningococcal disease, etc.) must be monitored to terminate spread of disease. Immunization status of all hospitalized children is evaluated upon admission. Low-income families run the potential risk of not having up-to-date immunizations. Neonates and newborns having compromised immune systems place them at risk for developing infections. All patients are at risk for COVID.
- c. Patient care units include:
 1. A thirty-four (34) bed Adult Emergency Department and a ten (10) bed Pediatric Emergency Department that includes four (4) observation beds which treats both adult and pediatric patients and also includes one (1) critical care/trauma for adults and one (1) critical care/trauma bed for pediatrics. Approximately 3,800 adult patients and approximately 1900 pediatric patients are seen on a monthly basis presenting with cardio-respiratory, surgical, and neurovascular disorders. Minimal trauma cases are received. There are five (7) AII (Airborne Infection Isolation) rooms available on the adult side 10, 11, 13, 14, 20, 34, 35. If needed, room 13 would be used for a pediatric patient.
 2. A sixteen (16) bed Adult Critical Care Unit (ICU/CCU) (separated into two units). The patient population is generally adult, geriatric and both antepartum and postpartum patients with cardiopulmonary, surgical, neurovascular disorders, hypertensive crisis and septic patients. Two rooms, in the Intensive Care Unit and Cardiac Care Unit, are AII rooms (ICU 1 and 8, CCU 1 and 8). This unit is located on the 2nd floor in the Legacy Building. Conversion of 2 additional AII rooms ICU 2 and & and CCU 2 and 7) was completed due to the COVID pandemic.
 3. A eight (8) bed Adult Critical Care Unit (ICUO) was utilized secondary to increased census. The patient population is generally adult, geriatric patients with cardiopulmonary, respiratory, hypertensive disorders and septic patients. This is located on the second floor in close vicinity to the ICU/CCU.
 4. A thirty-five (35) bed Progressive Care Unit (PCU) with primarily adult and geriatric patients with cardiopulmonary conditions. Dialysis patients are also treated. Two AII rooms are available (Room 438 and 452). Telemetry monitoring available. This unit is located on the 4th floor in the Legacy Building
 5. A thirty-three (33) bed Medical Unit (4 WEST) with primarily adult and geriatric patients with respiratory conditions, including suspected and active tuberculosis patients. There is one (1) permanent AII room (Room 401). There are currently 11 rooms which can be converted into AII rooms (409, 410, 411, 412, 415, 416, 417, 418, 423, 424, 425). As of 4/13/20, BHCS converted the following additional rooms into AII rooms:

402, 403, 404, 405, 406, 407, 408, 413, 414, 419, 402, 421, 422, and 426. All types of medical conditions are serviced and some surgical patients may be admitted here. There is remote telemetry monitoring available. This unit is located on the 4th floor in the Legacy Building. All patient rooms on 4 West are now AII rooms. This was completed due to the COVID pandemic. In 2022, these additional rooms were converted back into regular rooms and are not AII rooms; however, they can be switched with assistance from the facilities department.

6. A thirty-three (33) bed Medical-Surgical Unit (3 EAST) with primarily adult and geriatric patients. There is one AII room available (Room 352). There is remote telemetry monitoring available. This unit is located on the 3rd floor in the Legacy Building.
7. A twenty-eight (28) Surgical Unit (3 SOUTH) dedicated to bariatric, urological, orthopedic, colorectal, gynecological and general surgical patients with two All rooms (381 and 395). There is remote telemetry monitoring available. This unit is located on the 3rd floor in the South Tower.
8. An eighteen (18) Telemetry Unit (4 NORTH) with primarily adult and geriatric patients. There are two (2) permanent AII rooms (459 and 462). As of 4/13/20, BHCS converted the following additional rooms into AII rooms: 453, 454, 455, 456, 457, 458, 460, 461, 463, 464, 465, 466, 467 and 468. There is remote telemetry monitoring available and most patients are on telemetry. This unit is located on the 4th floor in the Legacy Building. All patient rooms on 4 North are now AII rooms. This was completed due to the COVID pandemic. In 2022, these additional rooms were converted back into regular rooms and are not AII rooms; however, they can be switched with assistance from the facilities department.
9. A ten-(10) bed Level II Neonatal/Intensive Care Unit (NICU) is available. The majority of the neonates are premature, hypoglycemic, or rule-out sepsis cases. There is one AII room available (NICU10). This unit is located on the 2nd floor in the South Tower.
10. A twenty one (21) bed Pediatric Unit (PEDS), with patients aged newborn to eighteen (18) years old with all medical and surgical conditions serviced. There is one AII room in the unit. (301). There is remote telemetry available for 7 beds. This unit is located on the 3rd floor in the Legacy Building.
11. There is a 5 bed PICU with one AII room (PICU #5). This is located inside the Pediatric Unit. The majority of the patients are treated for respiratory related conditions with some surgical patients. This unit is located on the 3rd floor in the Legacy Building.
12. The Surgical Services Unit (OR) has eight (8) surgical suites including one cystoscopy room with a population of primarily adult, geriatric, and pediatric patients. Surgical Services include general orthopedics, cardiovascular, urology, ENT, gynecology, neurovascular and general surgery. Approximately 4,700 surgical procedures are performed annually. This department is located on the 2nd floor in the Legacy Building. Two additional ORs are available (in the prior L&D surgery suite). One of the OR rooms have been set up with additional HEPA filtering specifically for COVID positive patients. The hallway outside of the two ORs is negative pressure.
13. An eleven (11) bed Post Anesthesia Care Unit (PACU) provides care for the post-operative patient recovering from general or regional anesthesia or receiving monitored anesthesia care for epidural pain control. This department is located on the 2nd floor in the Legacy Building, adjacent to the Surgical Services unit.
14. A twenty-eight (28) bed Mother-Baby Unit (MB) with 28 bassinet newborn nurseries and a five (5) bay virtual nursery area. The unit provides total mother-baby couplet care. Broward Health Coral Springs delivered approximately 1,650 live births. There are two AII rooms are available (212 and 228). This unit is located on the 2nd floor in the South Tower.

15. A twelve-(12) bed Labor Delivery Unit is available with three (3) Caesarian Section operative suites and five (5) recovery rooms. LD OR#3 has a negative pressure anteroom and OR#3 remains positive. A five (5) bed exam room area is available and there is one All room available (5 room). This unit is located on the 1st floor in the South Tower. Approximately 1200 Caesarian procedures were performed.
 13. A six (6) bed Antepartum Unit provides care for high-risk pregnancies, located in the Mother-Baby Unit. This unit is on the 2nd floor in the South Tower.
 14. A twenty-four (24) bed Same Day Surgery Unit provides care to pediatric, adult and geriatric patients. Services include care of the surgical patient before surgery and following recovery in the PACU, care of patients receiving other interventional/diagnostic procedures in Radiology and Cardiopulmonary, and the administration of intravenous medications, blood and blood products to outpatients. Two (2) reclining chairs are reserved for administration of intravenous medication, blood and blood products to outpatients. This unit is located on the 2nd floor in the Legacy Building.
 15. A four (4) room Endoscopy Unit is available with one All room used for bronchoscopies. This unit is located on the 2nd floor in the Legacy Building adjacent to the Same Day Surgery Unit.
 16. A five (5) bed dialysis unit is available for dialysis treatments to be completed for inpatients. This unit is located on the 2nd floor in the Legacy Building adjacent to the SDS unit. This area is opened while patients are receiving dialysis.
 17. A cardiac catheterization lab is available for all emergency department patients and inpatients for both emergency and scheduled cardiac catheterizations, insertion of pacemakers and stents. There are four bays for pre and post care. A second cardiac catheterization lab opened on 2/27/23 with three additional bays for pre and post care.
- d. Services provided at BHCS include but are not limited to:

Adult & Pediatric Care

- a. Emergency Department
- b. Pediatric Emergency Department
- c. Labor and Delivery Unit
- d. Maternity Unit
- e. Nursery
- f. Level II Neonatal Intensive Care Unit
- g. Pediatric Unit
- h. Pediatric Acute Care Unit
- i. Pediatric Intensive Care Unit
- j. Pediatric Sedation
- k. Surgical Services Department
- l. Minimally Invasive Colorectal Services
- m. Endoscopy Unit
- n. Interventional Radiology
- o. Primary Stroke Center
- p. Inpatient Dialysis
- q. Cardiopulmonary Services
- r. Cardiac Catheterization Services
- s. Center for Wound Care
- t. Sleep Disorders Center
- u. Orthopedic Services
- v. Women's Center
- w. Rehabilitation Center

x. Community Health Services

III. At Risk Patient Populations

The Infection Control Committee at Broward Health Coral Springs has identified the following patient populations as being at higher risk for healthcare associated or transmissible community acquired infections:

- a. Patients undergoing mechanical ventilation
- b. Postpartum patients
- c. Patients undergoing surgical & invasive procedures
- d. Patients with indwelling medical devices (urinary catheters and peripheral and central venous catheters)
- e. Employees at risk for occupational exposure to tuberculosis, blood borne pathogens, and other communicable diseases.
- f. Patients with immunosuppression due to chronic illness (diabetes, ESRD, HIV disease, COPD, sickle cell disease and drug and alcohol abuse)
- g. Patients with significant pathogens (i.e., multidrug resistant organisms, including *C. difficile* and *C. auris*)
- h. Patients with limited mobility, compromised nutritional status, and diminished sensory perception
- i. Patients with chronic conditions with recurrent hospitalizations (i.e., CHF, COPD)
- j. NICU patients
- k. Pediatric patients with potential of acquiring and spreading communicable diseases (i.e. varicella, measles, mumps, pertussis, meningococcal disease, COVID, etc.)

IV. Roles and Responsibilities of the Infection Control Committee (ICC)

- a. The ICC is a multidisciplinary committee with representation from, but not limited to, Medical Staff, Executive Leadership, Nursing, Pharmacy, Laboratory, Surgical Services, Environmental Services, Facilities Management, Employee Health, Ancillary staff, and other departments of the hospital. The role of the ICC is to oversee the BHCS Infection Prevention and Control Program.
- b. Responsibilities of the Infection Control Committee include but are not limited to the following:
 - i. Recommends the minimum amount of time allocated to the Infection Prevention and Control Program based on the needs of the population served.
 - ii. Requests changes to the allocation of time as needs change or program goals cannot be met.
 - iii. Facilitates the allocation of resources needed to access information, supplies, equipment and laboratory services.
 - iv. Approves the Infection Control Plan, Annual Appraisal, Risk Assessments, BHCS IC Program revisions, and Infection Control new policies/revised policies and the BHCS Hand Hygiene Plan.
 - v. Initiates recommendations based on mandatory reporting data, surveillance findings, epidemiological investigations and performance indicator trends.
- c. The multidisciplinary Infection Control Committee meets quarterly. The Chairman of the ICC, who is also the Medical Director of the Infection Prevention and Control Program and the Antimicrobial Stewardship Program has the authority of the Chief of Staff and Chief Executive Officer of Broward Health Coral Springs to oversee the Infection Prevention and Control Program. The Clinical Specialist of Epidemiology serves as the facilitator. All hospital departments are encouraged to participate in the ICC and contribute to the infection prevention and control objectives of the program.

- d. Employee Health functions relating to Infection Control are conducted by the Employee Health Practitioner. Employee Health trends are reviewed and analyzed by the Infection Control Committee, to include the following:
 - e. Employee blood and body fluid exposures and follow up with each occurrence reviewed to identify high-risk procedures and/or products. Based on the evaluations, corrective actions can be developed and implemented. Summary evaluations are presented to the Infection Control Committee and Environment of Care Committee.
 - f. Employees are screened for TB at least annually. Employees with skin test conversions are referred for evaluation and follow-up. TB screenings and conversions are tracked monthly by department and for the facility as a whole. An annual summary is presented to the Infection Control Committee.
 - g. Infections of epidemiologic significance among employees are reported along with any control measures instituted, follow-up required, or cases of secondary spread.
 - 1. Pre-employment screening is completed by the Employee Health Practitioner to evaluate immunity to certain infectious diseases. Vaccines are offered when indicated.
 - 2. The Employee Health Practitioner or designee coordinates and performs initial fit test and annual fit-checks for N-95 Respirators as indicated.
 - 3. The Employee Health Practitioner will perform surveillance of employee illnesses and monitor and report any significant communicable disease. This will also be reported at the Infection Control Committee.

**Information generated by Infection Control activities is confidential and all individuals having knowledge of this information will maintain confidentiality of privileged health information. Results of infection control findings will be presented only to committees and/or personnel responsible for conducting or monitoring the quality of patient care, or to appropriate public health personnel.

V. Objectives

Objectives for the Epidemiology department are as follows:

Please see Appendix A: Goals and Objectives CY2023

Organizations referenced:

1. Centers for Disease Control and Prevention (CDC)
2. The Association for Professionals in Infection Control and Epidemiology, Inc. (APIC)
3. Association of Perioperative Registered Nurses (AORN)
4. Association for the Advancement of Medical Instrumentation (AAMI)
5. The Society for Healthcare Epidemiology of America (SHEA).

REFERENCES:

1. CDC, Template for State Healthcare Associated Infections Plans 2010
<http://www.cdc.gov/HAI/pdfs/stateplans/f1.pdf>
2. Dudeck, M., Edwards, J., Allen-Bridson, K., Gross, C., Malpiedi, P., Peterson, K., Pollock, D., Weiner, L., & Sievert, D. (2015). National Healthcare Safety Network report, data

- summary for 2013, Device Associated module. American Journal of Infection Control 43 (3). 206-221.
3. Centers for Disease Control and Prevention (2002). Guideline for Hand Hygiene in Health-Care Settings: Recommendations of the Healthcare Infection Control Practices Advisory Committee and the HICPAC/SHEA/APIC/IDSA. MMWR 51(RR-16).1-45.
 4. Hand Hygiene in Healthcare settings. (2015). Centers for Disease Control. Retrieved from <http://www.cdc.gov/handhygiene/>
 5. Hospital Accreditation Standards (2021).The Joint Commission. Retrieved from <http://www.jointcommission.org/accreditation/hospitals.aspx>
 6. The Joint Commission Infection Prevention and Control Standards
 7. The Joint Commission National Patient Safety Goals 2023.
https://www.jointcommission.org/-/media/tjc/documents/standards/national-patient-safety-goals/2022/hap_npsg_jan2022.pdf

Related Policies: Broward Health Infection Control Plan (System), Broward Health Epidemiology and Department Specific Infection Control Policies.

Authors: Broward Health Coral Springs Epidemiology Department

Reviewed/Approved: BHCS Infection Control Committee, BHCS CEO, BHCS CNO, Medical Director of Infection Prevention and Control and the Antimicrobial Stewardship Program

Date: 3/9/2023

A risk assessment guides prioritization of infection prevention and control goals and objectives and is completed by the Infection Control Committee. BHCS identifies the risks for acquiring and transmitting infections based on its geographical location, community findings, care, treatment and services provided, healthcare worker risks, and environmental risks.

The Risk Assessment is conducted annually and/or whenever risks change significantly. Scoring of the Risk Assessment is approved by the Infection Control Committee (ICC) to ensure a multidisciplinary approach to assess the needs of the population served at Broward Health Coral Springs.

Appendix A

Goals and Objectives CY 2023

*Based on Risk Assessment of Events

*Will review monthly

*Target goals based on 10% reduction in harm events from LCY and VBP achievement threshold using NHSN SIR data.

Hospital Acquired Infection (HAI)/Admission Related Risks

Goal # 1: Overall reduction of hospital acquired infections.

*Pareto Analysis reveals surgical site infections (SSI) constituted the highest risk and multi drug resistant organisms (MDRO) as the second highest risk in the HAI/Admission risk portion of the risk assessment. The top 5 risks identified in the Pareto analysis were SSI, MDRO, central line blood stream infection (CLABSI), catheter associated urinary tract infection (CAUTI), and C-Difficile infections. All HAI are of concern and we strive in chasing zero.

Indicator	Population	Plan	Benchmark	Team	Methodology
SSI	Patients who had surgery	1. Determine risk factors for HAI 2. Decrease HAI 3. Decrease sepsis 4. Continue utilize FHA HIN best practices 5. Medical Director of Infection Prevention and Control and Dept of Surgery Chair for review of all SSIs.	BHCS target rates: Colon: 0.00 Hyst: 0.00 Threshold Colon: 0.754 Hyst: 0.726 Current rate: Colon: 2.34 0.72 Hyst: 3.13	IP Surgical Services Nurses Physicians Anesthesiologists Pharmacists Surgeons Medical Director of Infection Control	1. Monitor infection rates for all class I and II surgeries and report to appropriate stakeholders. 2. Monitor all total hip and total knee surgeries and report to appropriate stakeholders. 3. Monitor all C-section infection and report to OB/GYN meetings. 4. Monitor colon, abdominal hysterectomy infections and report to NHSN and stakeholders. 5. Daily surveillance of ED log, micro reports, OR schedule. 6. Review for weight based dosing for antibiotics, re-dosing as necessary. 7. Review to ensure glycemic monitoring is performed in all surgical cases. 8. Discuss each SSI during Patient Safety Quality Council meeting

	SIR: Colon: 0.88 Hyst: 4.07	9. Intense analysis meetings for all SSIs to include drill down checklist for Surgical Services department and drill down checklist for inpatient nursing units to review for SSI opportunities preoperatively, intraoperatively and postoperatively with NMs from Surgical Services, Women's Services and Inpatient Surgical Nurse Units. 10. Review to ensure FIO2 increases upon extubation and during transport to PACU 11. Review patient temperatures to ensure normothermia during surgery and upon admission to PACU. 12. Review to monitor for appropriate administration of antibiotic prophylaxis prior to surgery. 13. Education provided for DaVinci instrumentation on routine basis. 14. All infections reviewed by Medical Director of Infection Prevention and Control. 15. Infections are reviewed by Chief of Department of Surgery and Chief of Department of OB/GYN, if indicated. 16. Create action plans based on results of audits. 17. Focused rounding in OR, SPD, Decon 18. Meetings held with front line staff to discuss opportunities and barriers. 19. Ensure evidence-based practices are being utilized by adhering to AAMI and AORN guidelines.	1. Daily review of surveillance including ED visit log, review of all microbiology
MDRO (including	All patients	1. Determine risk factor for HAI	BHCS; Target IP Nurses

MRSA bacteremia) and C. diff	2. Decrease HAI 3. Decrease sepsis 4. Continue participating in FHA HHIN 5. Decrease readmissions	Rates: MRSA: 0.00 VRE: 0.00 CRE: 0.00 ESBL : 0.0	Physicians Pharmacists	results/monitor labs, identify and verify infections, analyze data.
				2. Utilize MedMined data mining program to assist with identifying potential clusters. 3. Review Antibiogram and discuss at ICC and Antimicrobial Stewardship committee 4. Continue contact precautions for active infection and 6 month history of infection. 5. Utilize Respiratory Viral Panel (Biofire) to prevent antibiotics for viruses. 6. C. diff: Place patient on enhanced contact precautions per policy and monitor compliance with bleach based disinfection. 7. Cohort if necessary on case by case basis. 8. Intense analysis of all C. diff and MRSA bacteremia cases including antibiotic indications and all room changes. 9. IP rounds facility wide. 10. IP rounds for isolation, PPE use, equipment disinfection compliance. 11. Nurse driven action plans. 12. All infections reviewed Medical Director of Infection Prevention and Control and the Antimicrobial Stewardship Program. 13. Infections are reviewed by CMO if indicated.
CLABSI	Inpatients with central lines	BHCS target rate: 0.00 Threshold: 0.687	IP Nurses Physicians Pharmacists Clinical Education	1. IP rounds facility wide. 2. Daily surveillance to monitor labs, identify and verify infections, analyze data. 3. Collect patient demographic data, line days 4. Identify risks, assess daily need/removal 5. Monitor bundle compliance during prevalence rounds: dressing, Biopatch, Curos
		SIR: 0.16		

5. Decrease line days				<ul style="list-style-type: none"> 6. Education with bundles 7. Nurse driven action plans, include use of CHG bathing in the ICU 8. CHG bathing at PM for all nursing unit. 9. Peripheral draws for blood specimens. 10. Intense analysis each CLABSI with nurse manager to determine opportunities/lessons learned. 11. Discuss each CLABSI infection in Patient Safety Quality Council meeting. 12. All infections reviewed by Medical Director of Infection Prevention and Control. 13. Infections are reviewed by the CMO if indicated. 14. Audits completed with medical device company and report findings back to stakeholders. 15. Create action plans based on results of audits. 16. Updated educational flyers 17. Mandatory competency education in person 18. Education through Webinar and the FHA.
CAUTI	Inpatients with Foley catheters	<ul style="list-style-type: none"> 1. Determine risk factor for HAI 2. Decrease HAI 3. Decrease sepsis 4. Continue participating in FHA HHIN 5. Decrease foley days 	<ul style="list-style-type: none"> BHCS target IP Nurses rate: 0.00 Physicians <p>SIR: 0.17</p>	<ul style="list-style-type: none"> 1. IP rounds facility wide. 2. Daily surveillance to monitor labs, identify and verify infections, analyze data. 3. Collect patient demographic data, line days 4. Identify risks, assess daily need/removal 5. Nurse driven catheter removal protocol. 6. Monitor bundle compliance including foley below level of bladder, not on floor, foley bag not more than $\frac{1}{2}$ full, secured to thigh, etc. 7. Educate on best practices in nursing

				<p>orientation and rounding.</p> <ol style="list-style-type: none"> 8. Nurse driven action plans. 9. Education through Webinar and the FHA. 10. Discuss each CAUTI with nurse manager to determine opportunities/lessons learned. 11. Discuss each CAUTI infection in Patient Safety Quality Council meeting. 12. Perform RCA on all infections 13. All infections reviewed by Medical Director of Infection Prevention and Control and the Antimicrobial Stewardship Program. 14. Infections are reviewed by the RMO if indicated. 15. Participate in AHRQ Safety Program for ICUs: Prevention CLABSI and CAUTI. 16. Audits completed with medical device company and report findings back to stakeholders. 17. Create action plans based on results of audits. 18. Mandatory competency education in person 19. Updated educational flyers. 20. Education through Webinar and the FHA.
C. diff	Inpatients	<ol style="list-style-type: none"> 1. Determine risk factor for HAI 2. Decrease HAI 3. Decrease sepsis 4. Antimicrobial stewardship 	<p>BHCS target IP Respiratory Nurses Physicians Pharmacists</p> <p>C. diff: 0.00 SIR: 0.17</p>	<ol style="list-style-type: none"> 1. Daily surveillance to monitor labs, identify and verify infections, analyze data. 2. Utilize NHSN definition and report to appropriate stakeholders. 3. Educate staff on best practices. 4. Infections are reviewed by the RMO if indicated. 5. Education through Webinar and the FHA.

Other Identified Events:

Active TB, unknown at time of admission

1. All patients with signs and symptoms or questionable TB disease may be placed on airborne isolation by nursing without a physician's order per airborne isolation policy.
2. Reeducation of nursing and physicians mandatory ED assessment for potential TB.
3. Review of Transmission based precautions, included difference between droplet and airborne isolation during New Hire Orientation and as needed.

Notification of Community Acquired Infections

1. Continue to utilize admit alert system and communicate with nursing and outside facilities as needed when patient admitted with a community acquired infection.

Outbreak

1. Monitor daily surveillance for any unusual organisms or clusters of organisms.
2. Initiate infection control measures based on CDC guidelines or other evidence-based recommendations.
2. Consult with Florida Department of Health as necessary.
3. Educate healthcare staff on organism identified in outbreak and measures to prevent spread of further infections.
4. Utilize Outbreak procedure policy during any outbreak identified.
5. Report clusters/outbreaks to necessary stakeholders and committees.

Notification of Internal HAIs

1. Continue to utilize admit alert system and communicate with internal departments and bed control as needed when patient is admitted or transferred in the hospital with an MDRO.
2. Review of isolation log and review patient diagnosis to ensure accurate transmission-based precautions are in use and education staff as needed.
3. Utilize HAS report system to track and trend occurrences and follow up with managers and conduct education as needed.

Community Risks

Goal # 2: Reduction of community risk.

*Pareto analysis reveals epidemic/pandemic to the highest risk with epidemic/pandemic, bioterrorism and seasonal flu as risk for community related risks. The rest of the top 2 risks identified in the Pareto Analysis were Community Acquired MDRO, and Hemorrhagic Fever Disease. All risks from the community are evaluated and Epidemiology works closely with the Health Department.

Indicator	Population	Plan	Benchmark	Team	Methodology
Epidemic/Pandemic	All patients	BHCS will offer influenza and other vaccinations to all qualified patients.	BHCS target: 90%	IP Nursing Quality Physicians Pharmacists	<ol style="list-style-type: none"> 1. If pandemic, work with Florida Department of Health and Emergency Preparedness. 2. Follow outbreak management plan 3. Development of task forces at Corporate level
Bioterrorism (Emerging Infectious Disease)	All patients	BHCS will be prepared for Bioterrorism and emerging infectious disease or influx of infectious patients.	EM Drills 100%	IP ED EP Nursing Physicians	<ol style="list-style-type: none"> 1. Continue utilizing infectious disease screening tool for all patients during triage to screen for all potentially infectious patients. 2. Work with Emergency Preparedness in drills and PPE training for bioterrorism / emerging infectious diseases and bioterrorism. 3. Communicate with the Florida Department of Health as necessary. 4. Continue with established drills and EM updates and education. 5. Consult with Medical Director of Infection Prevention and Control as needed.
Seasonal flu	All patients	BHCS will offer influenza vaccination to all qualified patients.	BHCS target: 90%	IP Nursing Quality Physicians Pharmacists	<ol style="list-style-type: none"> 1. Inpatients vaccinated during flu season per Centers for Medicaid and Medicare Services (CMS) protocol unless contraindicated. 2. Patients with influenza placed on Droplet isolation precautions per policy.
Community acquired MDRO	All patients	Identify community onset	BHCS target: 90%	IP Nursing Physicians	<ol style="list-style-type: none"> 1. Identification of patients through daily surveillance admitted with MDROs and alert tab. 2. Assess staff need for education.

	infections for prompt isolation. Placing patients on transmission based precautions.	Case management	3. Communication with SNF and LTC admitters. 4. Education for staff and physicians about HO and CO C. diff and MRSA bacteremia to identify community onset MDRO as early as possible and within the first 3 days of admission based on the NHSN definition. 5. Education at New Hire Orientation. 6. Review of daily isolation log and review of patient diagnosis to ensure that patient is placed on correct transmission based precautions. 7. Hand hygiene to prevent transmission.
Hemorrhagic Fever Diseases	All patients BHCS has international airport within 30 minutes	Diverse population IP Nursing Physicians Emergency Management	1. Active surveillance for incoming patients 2. Work with Emergency Preparedness with drills and PPE training. 3. Communicate with Florida Department of Health as necessary 4. Continue with established drills and EM updates and education.

Other Identified Events

Displaced person

1. Work with case management and social services to assist in timely discharge of patients with hospital acquired infections or multi drug resistant organisms as needed.

Active TB admissions

1. Continue to follow IC TB Plan.

HIV/AIDS

1. Continue to work with Florida Department of Health as necessary.

Flood

1. Work with Emergency Preparedness.

2. Yearly hurricane drills.

Waterborne Outbreak

1. Continue to monitor for waterborne organisms through Medmined and daily surveillance.
2. Work with facilities and consultant to identify risks in water management system.
3. Utilize CDC Legionella risk assessment.
4. Report to Florida Department of Health as necessary.

Food Associated Outbreaks

1. Adhere to established outbreak policy and procedure for outbreak management.
2. Continue to report positive cultures to Florida Department of Health.

Communicable Disease/Reportable to Florida Department of Health.

4. Continue to review and monitor ED and Medmined for positive cultures
5. Continue to report positive cultures to the Florida Department of Health

Healthcare Worker Risks

Goal #3: Reduction of healthcare worker risk of infection secondary to injury and/or exposure.

*Pareto Analysis reveals non-compliance with hand hygiene for independent HCWs as the highest risk. The remaining 4 risks identified in the Pareto analysis were non-compliance with hand hygiene for staff, blood and body fluid exposure, delay in proper isolation precautions and failure to follow protocols and use of safety devices or PPE. All risks to healthcare workers are followed by both Employee Health and Epidemiology and presented at Environment of Care Committee.

Indicator	Population	Plan	Benchmark	Team	Methodology
Non-compliance with hand hygiene for independent HCWs	All LIPs	Strive for 100% of hand hygiene compliance.	BHCS target: 90%	IP Administration RMO Chief of Staff	1. Monitor compliance in all areas of hospital. 2. Updated poster campaign by corporate marketing. 3. Compliance reported at Patient Safety Quality Council monthly meetings. 4. Compliance reported at the quarterly ICC meeting.

Non-compliance with hand hygiene for staff HCWs	All employees, physicians, students, volunteers	Strive for 100% of hand hygiene compliance.	BHCS target: 90%	IP Administration	<ul style="list-style-type: none"> 1. Monitor compliance in all areas of hospital. 2. Updated poster campaign by corporate marketing. 3. Compliance reported at Patient Safety Quality Council monthly meetings. 4. Compliance reported at the quarterly ICC meeting. 5. Updated BHCS Hand Hygiene plan. 6. Continue to use recognition program to identify HCWs who perform hand hygiene by providing a business card with a lifesaver candy and a “thank you for being a life saver” note. 7. Just in time education and reinforcement. 8. Hand hygiene education at every New Hire Orientation or 1:1 education 		
Blood and body fluid exposure	All employees, physicians, students, volunteers	Decrease needle sticks, splashes, other preventable exposures.	BHCS target: 90%	IP EH Administration	<ul style="list-style-type: none"> 1. Monitored by Employee Health. 2. EH to continue to monitor and report to ICC and EOC. 3. IP rounding. 4. Just in time education and remediation as 		

Employee Knowledge Deficit of Disease Transmission	All employees, physicians	Increase awareness of pandemic and knowledge of coronaviruses, and COVID 19	BHCS target: 90%	<p>IP Administration Clinical Education</p> <p>Nurse Managers Regional Managers of all departments</p>
Failure to recognize employee outbreak	All employees, physicians, students, volunteers	Decrease needle sticks, splashes, other preventable exposures.	BHCS target: 90%	<p>IP EH Administration</p> <p>1. IP rounds to reinforce infection control measures.</p> <p>2. Reducation of PPE requirements for all staff.</p> <p>3. Hand hygiene.</p> <p>4. Education with flyers as needed.</p> <p>5. Follow outbreak policy</p> <p>6. Ensure staff maintain infection control measures when on break and not on duty</p>

Other Identified Events:

Non-compliance with standard precautions

1. Continue to educate nursing at orientation and periodically on standard precautions according to policy.
2. IP rounding.
3. Just in time education and remediation as needed.

Failure to follow protocols and use safety devices or PPE

Utilize HAS reports with risk management, Patient and Medication Safety meeting, and Nurse Practice Council to address any staff infection control issues.

1. IP rounds to engage and education staff.
2. Daily surveillance and MediMined analysis.
3. IP rounds to reinforce protocols, use of safety devices, proper PPE.
4. Revised isolation signs to standardize within Broward Health. Signs to include new recommendations for transport of patients on isolation as well as PPE requirements in 3 different languages.
5. Reeducation of PPE requirements for visitors of patients on Airborne Isolation and provided sign to put on door specifically for visitors.

Environmental Risks

Goal #4: Reduction of environmental risk.

*Pareto analysis reveals inadequate supplies of PPE as the highest risk priority. The remaining top 4 risks identified in the Pareto Analysis were: improper environmental cleaning, improper handling of biohazardous waste, improper sterilization of equipment /medical devices and improper sharps handling.

<i>Indicator</i>	<i>Population</i>	<i>Plan</i>	<i>Benchmark</i>	<i>Team</i>	<i>Methodology</i>
Inadequate supplies of PPE	All staff	Maintain adequate supplies of all PPE in all departments.	BHCS target: 90%	Materials	1. Materials management responsible for maintaining par levels of PPE on each nursing unit in the facility.

Improper environmental cleaning	EVS staff	Compliance with proper cleaning protocols and products.	BHCS target: 90%	EVS		<ul style="list-style-type: none"> 2. Utilize new PPE calculator from the CDC to assess PPE based on Ebola admission or PUI (Persons under investigation) per Emergency Management 3. IP partnership with Material Management 	
Improper handling of biohazardous waste	All staff	Reduce misuse of red bag biohazard waste.	BHCS target: 90%	All employees		<ul style="list-style-type: none"> 1. EOC rounds to check biohazard waste. 2. DOH inspections. 3. Education of Staff 	
Improper sterilization of equipment /medical device	All staff	Compliance with proper disinfection protocols and products.	BHCS target: 100%	All employees		<ul style="list-style-type: none"> 1. Rounding in SPD and Decon areas to monitor all processes. 2. Follow and adhere to all policies regarding cleaning, disinfection, and sterilization as per AORN and AAMI guidelines. 3. Follow all manufacturers instruction for use with all medical equipment and devices. 4. Infection Control to investigate any cases reported of improper cleaning, disinfection and sterilization. 	
Improper sharps handling	All staff	Follow all manufacturer's instruction for use. Education with new products	BHCS target: 90%	Materials		<ul style="list-style-type: none"> 4. Clinical education responsible for training all staff on proper use of medical devices/sharps. 5. IP partnership with Clinical Education 	



Other Identified Events

Failure of Negative Pressure Ventilation

1. Adhere to existing process for failure of negative pressure ventilation. Refer to Infection Control Policy # 21 *Isolation Room Checks*.
2. Facilities to ensure compliance with monthly temp and humidity measures in surgical environment per standards.

Inadequate Preconstruction IC Planning and & Risk Assessment

1. Partnership with facilities regarding early notification of future construction projects.

Surgical Services Environmental controls (air exchange, temp, humidity monitoring fallout)

1. Facilities to monitor and any alarms to sound in PBX and notify surgical services and Women's Services Manager.
2. Notification of alarms to managers of department on off hours.