

## Performance Improvement Appraisal CY 2021 and Goals and Objectives for CY 2022

Broward Health North continuously strives to provide comprehensive, individualized, and competent care to the patients it serves, regardless of race, gender, sexual orientation, religion, national origin, physical handicap, or financial status. We follow the Broward Health Mission and Vision Statements. Broward Health North respects and follows the Broward Health Five Star Values, Strategic Priorities and Success Pillars: Service, People, Quality/Safety, Finance and Growth. The PI Plan is presented to the regional Quality Council for approval then to the Medical Staff and Board of Commissioners.

The Department Leaders at Broward Health North work with their Administrators to prioritize their decisions regarding indicators for review. While indicators are chosen for review each year, new indicators may be chosen during the year based on patient safety concerns, information from Root Cause Analysis, trends identified in adverse incidents, etc. Indicators were chosen either by requirements by external agencies such as The Joint Commission, Centers for Medicare, and Medicaid Services, AHCA, AHRQ and those that are problem prone, high risk, or high-volume processes. This information is reported to Quality Council then to the Board of Commissioners through the Quality Assessment and Oversight Committee (QAOC) and the Board of Commissioners.

Initiatives for 2021 include continuous patient tracers, unit shift huddles, and our total harm reduction program as a part of our journey to becoming a High Reliability Organization (HRO). Broward Health North participated in the Health Innovation and Improvement Network (HIIN) project to decrease mortality and morbidity, in the AHRQ Pressure Ulcer Prevention Collaborative, and the STRIVE project with the FHA.

Listed below is a summary of the PI activities of Broward Health North that reflect the hospital endeavors to reduce the mortality and morbidity and to assure patient safety. Broward Health North will continue to work towards these goals during 2021.

PI Indicators	Goals	Findings	Actions	Objectives for CY 2022
<b>IMPROVE CORE MEASURES</b>				
CMS / TJC Core Measures	Achieve Top Decile for indicators that are at or above national average rate. Achieve national average or above rates for indicators that are below the national average rate.	<p>Data collected:</p> <ul style="list-style-type: none"> <li>• STK 7 of 8 indications at 100% and top decile, all above National average. Compared to 2018</li> <li>STK – 1 (STK 8) of 8 indications at 100% and top decile, all above National average.</li> </ul> <p style="margin-left: 40px;">2021: 17 fallouts in STK-1 96%</p> <p style="margin-left: 40px;">2021: 4 fallouts in STK-2 99%</p> <p style="margin-left: 40px;">2021: 1 fallout in STK 3 97%</p> <p style="margin-left: 40px;">2021: 0 fallouts in STK-4 100%</p> <p style="margin-left: 40px;">2021: 17 fallouts in STK 5 94%</p> <p style="margin-left: 40px;">2021: 1 fallout in STK 6 97%</p> <p style="margin-left: 40px;">2021: 28 fallouts in STK10 91%</p> <p>Compared to</p>	<ul style="list-style-type: none"> <li>• Concurrent screening of all new admissions with real time intervention to assure compliance</li> <li>• Continue to collect the data and drill down on fallouts to identify improvement opportunities</li> <li>• Continue to educate new employees to core measure standards and expectations.</li> <li>• Continue to coach and remediate all employees and physicians as necessary.</li> <li>• Interdisciplinary Patient Flow Team</li> </ul>	Achieve top decile for 90% of all indicators.

		<p>2020: 0 fallout in STK-1 100%</p> <p>2020: 0 fallout in STK-2 100%,</p> <p>2020: 1 fallout in STK-3 97.14%</p> <p>2020: 3 fallouts in STK-4 96%</p> <p>2020: 5 fallouts in STK-5 98.0%</p> <p>2020: 2 fallouts in STK-6 98%</p> <p>2020: 1 fallout in STK-10 99.7%</p> <p>SEP –2020 was 78.4% improved compared to 2019, it was 64%. volume increased from 247 cases (2019) to 385 (2020).</p> <ul style="list-style-type: none"> <li>• OP 3B No patient sample consistent with 2021: no population.</li> <li>• OP 18: 2021 YTD was 194.04 minutes</li> <li>• OP 29: 2021 is 93%</li> </ul>	<p>at BHN to improve patient flow and reduce ED boarding times.</p> <ul style="list-style-type: none"> <li>• Multidisciplinary sepsis committee</li> </ul>	<p>Improve sepsis compliance to 80% or greater</p>
--	--	--	--	--

**IMPROVE OUTCOMES**

Mortalities	<p>Below Crimson National Average for all hospitals</p> <p>Below Crimson National Average for All Hospitals for Medicare Patients Aged 65 and older</p>	<ul style="list-style-type: none"> <li>• The overall risk-adjusted mortality rate was 2.94% (359/12224) compared to 2020- 1.61% (216/13434). Crimson Cohort rate of - 3.11%</li> <li>• The risk-adjusted AMI mortality rate was 3.9% (7/179) compared to 2020 – 4.2% (8/189). Crimson cohort: 3.12%</li> <li>• The risk-adjusted heart failure mortality rate was 1.2% (5/414) compared to 2020 of 2.4% (8/338). Crimson Cohort rate of - 0.96%</li> <li>• The risk-adjusted pneumonia mortality rate was 5.5% (25/458) compared to 2020 = 6.5% (38/582). Crimson cohort - 4.4%</li> <li>• The Medicare risk-adjusted AMI mortality rate was 5.7% (2/35) compared to 2020 = 8.3% (3/26). Crimson cohort – 4.56%</li> <li>• The Medicare risk-adjusted heart failure mortality rate was 2.0% (2/102) compared to 2020 – 0% (0/82). Crimson Cohort rate of - 1.6%</li> <li>• The Medicare risk-adjusted pneumonia mortality rate was 5.1% (6/117) compared to 2020 = 6.8% (10/146). Crimson Cohort rate of - 4.08%</li> </ul>	<ul style="list-style-type: none"> <li>• Continue to review all mortalities, identify trends, perform peer review when necessary, and look for opportunities to continue to decrease mortality rates.</li> <li>• Clinical Care Teams initiated for COPD and HF to work on standardizing care for this population.</li> </ul>	<p>Maintain risk-adjusted overall, AMI, heart failure and pneumonia mortality rates below the Crimson Cohort average.</p> <p>Maintain Medicare risk-adjusted AMI, heart failure and pneumonia mortality rates below the Crimson Cohort average.</p>
-------------	---	---	--	---

Readmissions	Below Crimson National Average for All Hospitals	<ul style="list-style-type: none"> <li>The overall risk-adjusted all cause 30-day readmission rate was 12.87% (1315/10214) compared to 2020 = 12.6% (1224/9691). Crimson Cohort rate of 10.72%.</li> <li>The risk-adjusted AMI readmission rate was 12.22% (11/90) compared to 2020 = 9.8% (15/153). Crimson Cohort rate of - 12.60%</li> <li>The risk-adjusted heart failure readmission rate was 16.67% (27/162) compared to 2020 = 16.9% (52/308). Crimson Cohort rate of 17.60%.</li> <li>The risk-adjusted pneumonia readmission rate was 19.18% (28/146) Compared to 2020 = 13.8% (69/500) Crimson Cohort rate of 12.95%.</li> <li>The risk-adjusted COPD readmission rate was 18.55% (41/221) compared to 2020 = 19.0% (35/184). Crimson Cohort rate of -17.18% The Medicare risk-adjusted AMI readmission rate was 8.97% (7/78) Compared to 2020 = 9.8% (15/153). Crimson Cohort rate of -11.22%.</li> <li>The Medicare risk-adjusted heart failure readmission rate was 15.79% (24/152) Compared to 2020 = 9.7% (3/31) Crimson Cohort of - 16.27%.</li> <li>The Medicare risk-adjusted pneumonia readmission rate was 18.31% (26/142) Compared to 2020 = 14.6% (19/130) Crimson Cohort rate of 11.50%</li> <li>The Medicare risk-adjusted COPD readmission rate was 17.31% (36/208) Compared to 2020 = 18.5% (12/65) Crimson Cohort Rate of - 16.06%</li> </ul>	<ul style="list-style-type: none"> <li>Proactive risk assessment for readmissions using an EHR based tool</li> <li>Referral of patients to Population Health</li> <li>Discharge folders with specific patient information have been rolled out to improve discharge communication around symptoms</li> <li>Advocating with physicians to have home care ordered whenever possible for home monitoring</li> <li>Have an agreement with the Margate Health Clinic to reserve 2 appointments daily for patient follow-up</li> <li>Case management to schedule follow-up appointments</li> <li>System wide Multidisciplinary PI team working to reduce readmissions</li> <li>Follow up calls from nursing</li> <li>COPD care team to look at in house care for standardization</li> <li>HF care team working on putting together a HF Core team + TJC Certification.</li> </ul>	<p>Maintain risk-adjusted overall, AMI and heart failure readmission rates below the Crimson Cohort average. Improve pneumonia risk-adjusted readmission rates to at or below Crimson Cohort average.</p> <p>Maintain Medicare risk-adjusted readmission rates for AMI and HF below the Crimson Cohort average. Improve pneumonia Medicare risk-adjusted readmission rates to at or below Crimson Cohort average.</p>
--------------	--	--	---	---

**IMPROVE PATIENT SAFETY**

Falls	<2.15 per 1000 patient days	<p>There were 132 falls out of 69,369 patient days for a rate of 1.90% falls per 1000 patient days compared to 2020 = 138 falls out of 76417 patient days for a rate of 1.80% falls per 1,000 patient days.</p> <p>This represents an increase in falls and in rate.</p> <p>There were 5 falls with serious injuries out of 69369 patient days for a rate 0.014% compared to 2020 - 1 fall with serious injuries out of 80975 patient days for a rate of 0.01%.</p> <p>This represents an increase in event and rate.</p>	<ul style="list-style-type: none"> <li>Continue to perform post fall huddles and include patient/family whenever possible.</li> <li>Perform an intense analysis on all falls.</li> <li>Continue use of bed and chair alarms</li> <li>Proactive hourly rounds</li> <li>Educate staff and patients regarding fall prevention.</li> <li>Analyze data for trends.</li> </ul>	Decrease the hospital's fall rate and reduce falls with injuries by 2.0%
-------	-----------------------------	---	--	--

Hospital-acquired Pressure Injury	Below National Average	<p>There were 17 HAPIs out of 69,369 patient days for a rate of 0.25% per 1000 patient days compared to 2020 - 25 HAPIs out of 80,981 patient days for a rate of 0.31% per 1,000 patient days.</p> <p>Of those, 0 Stage III for a rate of 0.00, 0 Stage IV for a rate 0.00, and 5 unstageable for a rate of 0.07. Compared to 2020 there was 1 Stage III for a rate of 0.01, 1 Stage IV for a rate of 0.01 and 4 unstageable for a rate of 0.05%</p> <p>This represents a decrease in overall HAPIs Stage III and unstageable wounds and a decrease in Stage IV wounds.</p>	<ul style="list-style-type: none"> <li>All nursing staff required to attend SWAT Boot Camp</li> <li>SWAT nurse to documents in IVIEW for consistency</li> <li>PCA Bootcamp was completed for all floor PCAs to help educate at the bedside for all levels</li> <li>Perform drill down on all hospital-acquired pressure ulcers</li> <li>Annual patient safety fair for 100% of staff</li> </ul>	Decrease the hospital's HAPI rate by 3.5%
Mislabeled Specimens	Less than 7	<p>There were 4 mislabeled specimens out of 142,260 compared to 2020 = 6 mislabeled specimens out of 239,661.</p> <p>This represents an increase; however, the difference between 2020/2021 were the number of COVID swabs performed</p>	<ul style="list-style-type: none"> <li>Continue to coach and remediate employees as necessary.</li> <li>Perform intense analysis on all mislabeled specimens.</li> <li>Analyze data for trends.</li> <li>Continue the use of bedside specimen scanning.</li> </ul>	Decrease number of mislabeled specimens by 2.5%. Overall goal to be at zero
<b>DECREASE HOSPITAL-ACQUIRED INFECTIONS</b>				
CLABSI	<0.80 per 1000 device days	<p>The number of CLABSI were 26 out of 14564 device days for a rate of 0.18% compared to 2020 - 15 out of 13465 device days for a rate of 1.11%.</p> <p>The Standardized Infection Ratio (SIR) as reported to NHSN 2021: 1.376 2020: 0.647</p>	<ul style="list-style-type: none"> <li>Increase surveillance to all nursing units.</li> <li>Aggressive rounding to get the central line out.</li> <li>Continue the Centurion Guardian Program.</li> <li>Continue Chlorhexidine bath.</li> <li>Continue to follow central line bundle</li> </ul>	Decrease infection rates to below VBP achievement thresholds with a goal of zero.
CAUTI	<0.89 per 1000 catheter days	<p>The number of CAUTI were 4 out of 11440 catheter days for a rate 0.35% compared to 2020 - 9 out of 10954 catheter days for a rate of 0.82%. This represents a decrease in rate and device utilization.</p> <p>The SIR as reported to NHSN 2021: 0.134 2020: 0.389</p>	<ul style="list-style-type: none"> <li>Increase surveillance to all nursing units.</li> <li>Continue nurse catheter withdrawal protocol.</li> <li>ED engagement in preventing insertion.</li> <li>Continue Chlorhexidine bath.</li> <li>Coordinate with surgeons to prevent unnecessary perioperative insertion</li> <li>Continue HOUDINI protocol for all patients with foley catheter.</li> <li>Participate in HSAG HAI program.</li> <li>Continue to follow catheter bundle</li> </ul>	Decrease infection rates to below VBP achievement thresholds with a goal of zero.

Surgical Site Infections	Below National Average	<p>There were 0 total abdominal hysterectomy SSI out of 0 hysterectomy procedures for a rate of 0.00 compared to 2020 – 0 total abdominal hysterectomy. Major decrease in total number procedures performed. The SIR as reported to NHSN was 2021: 0.00 2020: 0.363</p> <p>There were 18 colon SSI out of 122 colon procedures performed for a rate of 1.47 compared to 2020 = 4 colon SSI out of 71 colon procedures for a rate of 5.63%.</p> <p>This represents equal number of total colon SSI and a lower total number of colon surgeries performed.</p> <p>The SIR as reported to NHSN 2021: 2.76 2020: 5.63</p>	<ul style="list-style-type: none"> <li>• SSI Six Sigma PI team to concentrate on class II colon.</li> <li>• Continue tracking all colon infections even the ones that do not meet reportable definition.</li> <li>• Continue to monitor recommended prophylactic antibiotic use.</li> <li>• Address SSI reduction strategies with medical staff</li> <li>• Monitor for trends / Refer to peer.</li> <li>• Drill down on the infection related to colorectal surgery.</li> <li>• Continue Chlorhexidine bath.</li> <li>• IP Medical Director to meet with Surgeons with SSI cases</li> <li>• Multidisciplinary team drill down on all SSIs</li> </ul>	Decrease surgical site infections to below the VBP threshold as measured by SIR.
MRSA Lab ID	Below CMS VBP Achievement Threshold	<p>The Lab ID MRSA bacteremia rate was - 5 out of 81,937 patient days for a rate – 0.06% infections per 1000 patient days compared to 2020 - 4 out of 80,981 patient days for a rate of 0.05% infections per 1,000 patient days This is a decrease.</p> <p>The SIR as reported in NHSN 2021: 0.897 2020: 0.5</p>	<ul style="list-style-type: none"> <li>• Staff education regarding what Lab ID event means and how to prevent accidentally causing false positives through delayed collection.</li> <li>• Hand hygiene</li> <li>• Blood culture performance competency</li> <li>• Ensure optimally appropriate antimicrobials by balancing clinical necessity and optimal patient care with negative consequences of inappropriate use.</li> <li>• Antibiotic duration, indication and PPI indication documentation.</li> <li>• IV to PO policy</li> <li>• Physician documented indication, duration a required field in orders.</li> <li>• Debrief w/ staff involved after HAI identified.</li> </ul>	Decrease infections to below the VBP threshold as measured by SIR
CDI Lab ID	Below CMS VBP Achievement Threshold	<p>The Lab ID C. Dif. Infection rate was 12 out of 81,937 patient days for a rate of 1.46% infections per 1000 patient days compared to 2020 - 28 out of 80,981 patient days for a rate of 3.46% infections per 1,000 patient days</p> <p>The SIR as reported in NHSN 2021: 0.227 2020: 0.543</p>	<ul style="list-style-type: none"> <li>• Staff education regarding collection process. Ticket-to-test requirements.</li> <li>• Hand hygiene program</li> <li>• Analysis of causative risk factors in all positive cases such as age, SNF resident, recent antibiotics,</li> <li>• Isolation precaution</li> </ul>	Decrease infections to below the VBP threshold as measured by SIR

